

nation; no embryonic cell was observed before it began, nor in any of the cleavage masses.

The inner membrane is folded in during cleavage; it is easily seen thrown into folds at the cleft, and for this reason I do not consider it a *yelk-membrane*, which term would be better applied to the chorion.

II. "On the Applicability of Gelatine Paper as a Medium for Colouring Light." By HORACE DOBELL, Esq. Communicated by JAMES PAGET, F.R.S. Received November 9, 1854.

The object of this communication is threefold.

(1.) To point out the properties of a material called Gelatine Paper, which render it applicable as a medium for colouring light.

(2.) Through the means of gelatine paper, to introduce the use of coloured light in the arts for the preservation of the sight of artisans.

(3.) To introduce the use of gelatine paper for the relief of persons suffering from impaired vision; for the preservation of the sight of travellers, and of all those who are much engaged in reading.

This material was invented in 1829 by the late M. Grenet, of Rouen, and was exhibited by him in its present state of perfection at the Great Exhibition of 1851. But up to the present time it has not been successfully applied to any more useful purposes than the manufacture of artificial flowers, address-cards, tracing-paper, wafers, wrappers for confectionary, and the like.

It is commonly manufactured in sheets, measuring 22 inches in length and 16 inches in diameter, which are sold at a small price; but the sheets can as easily be made of any dimensions not exceeding those of which plate-glass is capable. It can be made of any thickness, from that of the finest tissue paper upwards. It may be obtained as transparent as the best glass, and more free from colour, or of all colours and shades of colour, without interfering with its transparency. It is exceedingly light, and may be bent or rolled up without injury. It can be cut with scissors like ordinary paper,

and may easily be stitched with a needle and thread. By means of an aqueous solution of gelatine, it can be made to adhere accurately to plates of glass without any interference with its transparency. When varnished with collodion it becomes perfectly waterproof, more pliable, capable of bearing a considerable degree of heat without injury, and its transparency is not affected.

Hence it appears, that, in addition to its transparency and susceptibility to various colours and forms, gelatine paper is cheap, portable, and durable.

Such being the properties of the material, the following are enumerated by the author as some of the forms in which he suggests that it may be employed, and in which it has already been found useful.

1. A small sheet of very pale green or blue gelatine paper, to be used in reading. The sheet is simply to be laid upon the page of the book, and the reading to be conducted through the coloured medium. If used in a faint light, the reading paper is to be raised a little from the book to admit more light beneath it.

2. A sheet of gelatine paper of pale green set in a light frame, and placed like a screen before the window or lamp of the engraver, the watchmaker, the jeweller, and the like; thus providing a light of genial colour in which they may pursue their occupations.

3. A similar appliance to the last-mentioned for the use of needlewomen. For this purpose screens are to be provided, both of green and of blue gelatine paper; so that the white materials employed in needlework may be changed to a pleasant green, by the screen of that colour, the yellow materials to a green by the blue screen, and by one or other of these screens the reds softened down into violets or browns.

4. For either of the two last purposes on a larger scale, the gelatine paper may be attached to the window glass of the apartment, thus colouring, if necessary, all the light admitted during daylight.

5. Shades for the eyes in certain affections of the sight, to take the place of the green or blue silk and card shades worn by many persons. The gelatine paper being transparent, will allow the wearer to see his way about, at the same time that the eyes are protected from a glaring light. This may be especially useful in cases

where it is desired not only to shade a diseased eye, but also to protect its nerves from strong light admitted by the sound eye. When not only coloured light but a certain degree of darkness is required, this can be readily and delicately graduated by employing shades of different depths of colour.

6. Masks of gelatine paper for protecting the eyes of travellers against the glare of snow-fields and of sandy deserts.

III. "On the Theory of Definite Integrals." By W. H. L. RUSSELL, Esq., B.A. Communicated by A. CAYLEY, Esq., F.R.S. Received October 30, 1854.

I propose in the following paper to investigate some new methods for summing various kinds of series, including almost all of the more important which are met with in analysis, by means of definite integrals, and to apply the same to the evaluation of a large number of definite integrals. In a paper which appeared in the Cambridge and Dublin Mathematical Journal for May 1854, I applied certain of these series to the integration of linear differential equations by means of definite integrals. Now Professor Boole has shown, in an admirable Memoir which appeared in the Philosophical Transactions for the year 1844, that the methods which he has invented for the integration of linear differential equations in finite terms, lead to the summation of numerous series of an exactly similar nature, whence it follows that the combination of his methods of summation with mine, leads to the evaluation of a large number of definite integrals, as will be shown in this paper. It is hence evident that the discovery of other modes of summing these series by means of definite integrals must in all cases lead to the evaluation of new groups of definite integrals, as will also be shown in the following pages. I then point out that these investigations are equivalent to finding all the more important definite integrals whose values can be obtained in finite terms by the solution of linear differential equations with variable coefficients. Again, there are certain algebraical equations which can be solved at once by Lagrange's series, and by common algebraical processes; the summation of the former by means of definite