

with one only covering  $40^{\circ}$ , in order to get the same mean exposure over the whole plate.

In connexion with this test it may be mentioned that the most serious omission in the Kew examination is, that there is nothing to show the actinic transparency of the glass. A slight yellow tinge in the lenses, which would not be noticed by the eye, might yet be sufficient to seriously affect the rapidity of the objective. But no test could be devised to investigate this point which did not introduce photographic methods, and, as already stated, the consideration of expense put such operations out of consideration for the present. I should like, if possible, to have introduced some test which would have at the same time indicated the actual rapidity of the lens, and also the actual falling off of density towards the margin of the photograph; with the aid of photography this would not have been difficult, and a plan of this kind would have been adopted, but for the cost. This subject is, however, still under consideration by Captain Abney.

*January 19, 1893.*

The LORD KELVIN, D.C.L., LL.D., President, in the Chair.

A List of the Presents received was laid on the table, and thanks ordered for them.

The Bakerian Lecture was delivered as follows:—

BAKERIAN LECTURE.—“The Rate of Explosion in Gases.”

By HAROLD B. DIXON, M.A., F.R.S., Professor of Chemistry in the Owens College, Manchester. Received July 8, 1892.

(Abstract.)

1. Berthelot's measurements of the rates of explosion of a number of gaseous mixtures have been confirmed. The rate of the explosion wave for each mixture is constant. It is independent of the diameter of the tube above a certain limit.

2. The rate is not absolutely independent of the initial temperature and pressure of the gases. With rise of temperature the rate falls; with rise of pressure the rate increases; but above a certain *crucial pressure* variations in pressure appear to have no effect.

3. In the explosion of carbonic oxide and oxygen in a long tube,

VOL. LII.

2 H

the presence of steam has a marked effect on the rate. From measurements of the rate of explosion with different quantities of steam, the conclusion is drawn that at the high temperature of the explosion wave, as well as in ordinary combustion, the oxidation of the carbonic oxide is effected by the interaction of the steam.

4. Inert gases are found to retard the explosion wave according to their volume and density. Within wide limits an excess of one of the combustible gases has the same retarding effect as an inert gas (of the same volume and density) which can take no part in the reaction.

5. Measurements of the rate of explosion can be employed for determining the course of some chemical changes.

In the explosion of a volatile carbon compound with oxygen, the gaseous carbon appears to burn first to carbonic oxide, and afterwards, if oxygen is present in excess, the carbonic oxide first formed burns to carbonic acid.

6. The theory proposed by Berthelot—that in the explosion wave the flame travels at the mean velocity of the products of combustion—although in agreement with the rates observed in a certain number of cases, does not account for the velocities found in other gaseous mixtures.

7. It seems probable that in the explosion wave—

- (1) The gases are heated at *constant volume*, and not at *constant pressure*;
- (2) Each layer of gas is raised in temperature *before* being burnt;
- (3) The wave is propagated not only by the movements of the burnt molecules, but also by those of the heated but yet unburnt molecules;
- (4) When the permanent volume of the gases is changed in the chemical reaction, an alteration of temperature is thereby caused which affects the velocity of the wave.

8. In a gas, of the mean density and temperature calculated on these assumptions, a sound wave would travel at a velocity which nearly agrees with the observed rate of explosion in those cases where the products of combustion are perfect gases.

9. With mixtures in which steam is formed, the rate of explosion falls below the calculated rate of the sound wave. But when such mixtures are largely diluted with an inert gas, the calculated and found velocities coincide. It seems reasonable to suppose that at the higher temperatures the lowering of the rate of explosion is brought about by the dissociation of the steam, or by an increase in its specific heat, or by both these causes.

10. The propagation of the explosion wave in gases must be ac-

accompanied by a very high pressure lasting for a very short time. The experiments of MM. Mallard and Le Chatelier, as well as the author's, show the presence of these fugitive pressures. It is possible that data for calculating the pressures produced may be derived from a knowledge of the densities of the unburnt gases and of their rates of explosion.

*Presents, January 19, 1893.*

Transactions.

- Baltimore:—Johns Hopkins University. Circular. Vol. XII. No. 101. 4to. *Baltimore* 1892. The University.
- Belgrade:—Royal Servian Academy. Glas. Nos. 31–35. 8vo. *Beograd* 1892; Spomenik. Nos. 11, 15–18. 4to. *Beograd* 1892. The Academy.
- Berkeley:—University of California. Memorial of the Character and Services of John Le Conte. 4to. [*Berkeley*] 1892. The University.
- Berlin:—Gesellschaft für Erdkunde. Verhandlungen. Bd. XIX. No. 8. 8vo. *Berlin* 1892. The Society.
- Boston:—American Academy of Arts and Sciences. Proceedings. Vol. XVIII. 8vo. *Boston* 1891; Memorial of Joseph Love-ring [Obituary Notice]. 8vo. *Cambridge* 1892. The Academy.
- New England Historic Genealogical Society. Rolls of Membership, 1844—1891. 8vo. *Boston* 1892. The Society.
- Breslau:—Schlesische Gesellschaft für vaterländische Cultur. Jahresbericht. 1891. 8vo. *Breslau* 1892; Ergänzungsheft. Heft 1. 8vo. *Breslau* 1892. The Society.
- Brighton:—Brighton and Sussex Natural History and Philosophical Society. Abstracts of Papers read, and Annual Report, year ending June 8th, 1892. 8vo. *Brighton*. The Society.
- Brisbane:—Queensland Museum. Annals. No. 2. 8vo. *Brisbane* 1892. The Museum.
- Royal Geographical Society of Australasia, Queensland Branch. Proceedings and Transactions. Vol. VII. Part 2. 8vo. *Brisbane* 1892. The Society.
- Brussels:—Académie Royale de Médecine de Belgique. Mémoires Couronnés et Autres Mémoires. Tome XI. Fasc. 5. 8vo. *Bruxelles* 1892. The Academy.
- Bucharest:—Societății de Științe Fizice. Buletinul. Anul I. Nos. 5–8. 8vo. *Bucuresci* 1892. The Society.
- Buitenzorg:—'s Lands Plantentuin te Buitenzorg, 1817—1892. 8vo. *Batavia* 1892. The Director.